

## esbnetworks.ie NEW CONNECTION APPLICATION FORM EMBEDDED GENERATION FACILITIES (FORM NC5)

FOR OF	FICIAL USE ONLY
B.P. No:	
MPRN:	

# **Application for a New Connection**

## Introduction

This application form outlines the information ESB Networks DAC requires to progress an application for connection to the Electricity Distribution System. All applications must comply with the Distribution Code and ESB Networks DAC Conditions Governing Connection to the Distribution System. These can be found on our website: <u>esbnetworks.ie</u>.

Please note that this application form only deals with LV (230/400V), 10kV, 20kV, 38kV and in some cases, 110kV connections. If a higher connection voltage is required the applicant should contact the Customer Relations Team in EirGrid: +353 1 237 0472 or info@eirgrid.com.

ESB Networks DAC reserves the right to request additional data if necessary and the applicant should provide such information promptly during and post the offer process.

It is ESB Networks DAC responsibility to determine distribution connection method. If the applicant has a specific request this will be considered and examined in this process. The selected method will be based on the overall least cost technically acceptable solution unless the Applicant requests otherwise or ESB Networks DAC requires an alternative method for system reasons.

This application form must be submitted in **electronic format.** Electronic files must be submitted via email (all electronic files should be a cumulative maximum of 5MB or less).

Definitions of terms used in this form can be found in the glossary of the Distribution Code.

When the application form is fully completed email the form and all relevant documentation to: **DSOGenerators@esb.ie** 

If any queries arise ESB Networks DAC can be contacted at 1800 372 757 or DSOgenerators@esb.ie

Please note that in accordance with the Commission for Regulation of Utilities, some information from your completed application form will be published on the ESB Networks website: <u>esbnetworks.ie</u>. Please also see CRU's website for more detail: <u>cru.ie</u>.

Please Note: Information contained within this application form may need to be shared with the Transmission System Operator in order to sufficiently assess your application.

The Form NC5 should be used where an applicant has identified their specific generator manufacturer detail and would like their technical study processed using the specified data provided by the applicant. Form NC5A is a shortened version of this form and may be used where the specific generator manufacturer detail is unknown at time of application. Therefore the technical study is completed using assumed data and the applicant is required to provide their specific data a year in advance of energisation. For more detail on which is the most suitable, please refer to our website esbnetworks.ie

## Please note: Incomplete applications will not be accepted.



#### Please fill in all sections in BLOCK CAPITALS Do not leave any section blank;

### N/A to be used if section doesn't apply.

#### PART 1 - ALL APPLICANTS

ESB Networks DAC requires the information requested on this application form to enable us to set up and manage your electricity supply connection. As the Distribution System Operator, this information is also required to enable ESB Networks DAC to manage the electricity network. The data controller is ESB Networks DAC. Please refer to our privacy policy at https://esbnetworks.ie/privacy

## **1. APPLICANT DETAILS:**

Full name of the applicant: (if a company or a partnership give full company or trading name)								
Il address of legal applicant required (in the case of a body corporate, the registered or principal office)								
ompany registration number required								
lephone Number:								
nail:								
ntact details as per above. Company's registered address will be used as the contact address.								
ontact Person:								

## 2. SITE DETAILS:

Project Name: (Please note the Project Name must be geographically reflective of the location of the generator and must not match any existing
generator name or substation. The Project Name will be published on esbnetworks.ie)
Site Name & Address:
Site Substation Co-ordinates of Connection Point:
(For a project with the Maximum Export Capacity greater than 0.2 MW the connection point will be at the customer's substation site. For all other projects please use the co-ordinates of the generator unit itself. The co-ordinates to be supplied are the Irish Grid Co-ordinates, e.g. E243,566 N050,334)
3. GENERAL DETAILS:
Projected Start-Up Date: (month and year)
This Project is applying to export energy Yes No
Maximum Export Capacity (MEC) Required (MW): (if extension then only the additional capacity)
(For generators which operate in parrallel with the network and do not require a MEC, please include 0 MWs here and and ensure to
include the associated MPRN below.)
This project is an extension to an existing installation (MPRN) Yes No
This project is an extension to a planned generator Yes No

lf	'ves'	please	provide	the existing	project	name a	nd the	Meter	Point	Reference	Number	(MPRN):
••	,	p.0400	p	me emeting	p. 0]001							(

## **4. GENERATOR APPLICATION FEES**


Please note that an application fee deposit of €7,000 (incl VAT) which is part of the application fee or the full application fee if the total application fee amount is less, must accompany the application. For community-led projects, the application fee deposit is €2,000 (incl VAT). Please visit the Generator New Connections section of our website <u>esbnetworks.ie</u> for more information on application and modification fees. Please refer to our website <u>esbnetworks.ie</u> on payment methods available. <u>Please use your Project Name as the reference if paying by electronic fund transfer (EFT).</u> Applications submitted without this fee will be returned.											
Noted * Date of EFT Payment											
5. MAPS AND DIAGRAMS: Please provide electronic c	opies of the following:										
A 1:50,000 "Discovery Series" Ordnance Survey map, with the boundary. A plan of the site (in an appropriate scale) of the proposed fact point, generators, transformers, site buildings etc. A draft electrical single line diagram of the proposed facility de Relevant Voltage Levels Interlocking Earthing and Synchronising Arrangements Please note: we will not be able to process your application we	ility, indicating the site bo tailing all significant items nsformer(s) Correction	undary, the proposed loc of plant and their values • Location of Alter (e.g. house load) • Network Connec (if applicable)	ation of the connection including: native Connections								
6. SITE LOAD DATA:											
Maximum Import Capacity (MIC) Required:	(kVA) torage facility:	(kVA)									
7. TECHNICAL DETAILS: Unit and Plant capability data	a										
Number of Generation Units (for solar projects this is the num For thermal plant only: please provide a functional block diagr boilers, alternators, any heat or steam supplies to other proces Please note: we will not be able to process your application w	am of the main plant com ses etc. indicating e.g. w ithout this.	hether single shaft or sep	parate shaft								
	Unit 1 (or Type 1)	Unit 2 (or Type 2)	Unit 3 (or Type 3)								
Type of Generation Plant: [combined cycle combustion turbine, steam turbine, wind generator, etc]											
If two or more technology types are to be constructed under this MEC, please state what portion of the MEC (as set out in General Details Section) is attributed to each type of generation plant:											
Make/Version of Generator:											
Type of Generator: [synchronous, asynchronous, converter connected, etc.]											
Number of generators of type:											
Normal Maximum Continuous Generation Capacity (MW):											
Normal Maximum Continuous Export Capacity (MW):											
Maximum (Peaking) Generating Capacity (MW):											
Maximum (Peaking) Export Capacity (MW):											
Minimum Continuous Generating Capacity (MW):											
Minimum Continuous Export Capacity (MW):											
Generator Rated MVA:											
Normal Minimum Lagging Power Factor:											
Normal Minimum Leading Power Factor:											
(Power Factor capabilities will be in accordance with The Distribution Code)											

Please provide a <u>calculation sheet</u> (in addition to the fault current figures requested in Table 1) showing the fault current available (r.m.s. value of the a.c. symmetrical component) from the Embedded Generation Facility due to a fault at the Connection Point when all generating sets are operating in parallel with the Electricity Distribution System.

	Fault types applied at Connection Point										
hort Circuit Current Contribution from Embedded Generation Facility IEG [kA] [RMS]	Three- Phase	Phase-to Phase	Single-Line to-Ground (*)								
t = 0.00s											
t = 0.02s											
t = 0.04s											
t=0.06s											
t=0.08s											
t = 0.10s											
t = 0.12s											
t=0.14s											
t=0.16s											
t = 0.18s											
t=0.20s											
t = 0.30s											
t = 0.40s											
t = 0.60s											
t = 0.90s											
t = 1.30s											
t = 1.70s											
t = 2.00s											
t = 3.00s											

(\*) Not necessary for connections at 10kV or 38kV.

#### Table 1



Legend: **EG:** Fault Current Contribution from Embedded Generation Facility **IDSO:** Fault Current Contribution from DSO System **IGn:** Fault Current Contribution from Individual Generation Unit

## Figure 1 Embedded Generation Facility and Fault Current Contributions

## 8. NETWORK CONNECTION TRANSFORMER DATA (if applicable):

There are many types of transformers. This application specifies two winding transformers. All impedances should be stated in % on transformer rated MVA and kV. Please note that the connection voltage is determined by ESB Networks DAC in accordance with normal standards, as outlined in the Distribution Code, taking into account the particulars of each application. If the connection voltage is different to that assumed in the												
application, ESB Networks DAC will request new data corresponding to the new voltage level and the process will stand suspended until such reasonable data is obtained.												
Please note that a full manufacturers test report may be required	d at a later stage. Noted											
State number of transformers proposed at the network connect (at the connection voltage level i.e. not transformers associated with ind												
Transformer Rated MVA:												
Transformer Voltage Ratio HV/LV [kV]:												
Transformer Winding Configuration:												
Transformer positive sequence resistance (R <sub>1</sub> %):												
Transformer positive sequence reactance (X <sub>1</sub> %):												
Transformer zero sequence resistance (R <sub>0</sub> %):												
Transformer zero sequence reactance (X <sub>0</sub> %):												
Please provide details of Tap Changer. Nature of tap changer (c	off load/on load/ off circu	it)										
Tapped Voltage Winding: kV +	Steps -	Steps	% Step Size									
9. GENERATOR TRANSFORMER DATA (i.e. transformer	rs associated with inc	lividual generators):										
	Unit 1 (or Type 1)	Unit 2 (or Type 2)	Unit 3 (or Type 3)									
Generator Transformer Rated MVA:												
Generator Transformer Voltage Ratio HV/LV kV:												
Generator Transformer Winding Configuration:												
Generator Transformer positive sequence resistance (R <sub>1</sub> %)												

Generator Transformer zero sequence resistance ( $R_0$ %) Generator Transformer zero sequence reactance ( $X_0$ %)

Generator Transformer positive sequence reactance (X,%)

Pl	eas	se p	rov	ide	de	tail	s o	f Ta	ıp (	Cha	ing	er.	Na	ture	e of	fta	рс	har	nge	r (c	off I	oac	l/or	n lo	ad	/ of	fci	rcu	it)		

kV

# Tapped Voltage Winding:

## **10. POWER QUALITY**

Please note that questions regarding power quality will be included with the Connection Agreement and MUST be completed at that stage for the Connection Agreement to be valid.

Steps

Steps

% Step Size

#### Noted

#### **11. INDEPENDENCE OF CONTIGUOUS GENERATORS:**

A Generator Power Station will be deemed to be unrelated to and independent of the other Generator Power Stations already present in a Contiguous Generator Site ("Independent Generator Power Station") if:

- the Applicant, where a body corporate, is not a related undertaking of another Generator Power Station already present in the Contiguous Generator Site or in respect of which an application for a Connection Agreement has been made to the DSO or the TSO;
- no person or body corporate holding 50% or more of the equity or voting rights in the Applicant is a person connected with any other person or body corporate holding 50% or more of the equity or voting rights in another Generator Power Station present in the Contiguous Generator Site ("Connected Person").

The Generator Power Station is/will be independent from contiguous Generators Yes No

## PART 2 - ALL SYNCHRONOUS GENERATORS ONLY

## 12. GENERATOR DATA FOR FAULT STUDIES

QUESTIONS APPLY TO SYNCHRONOUS GENERATOR APPLICANTS ONLY	Unit 1 (or Type 1)	Unit 2 (or Type 2)	Unit 3 (or Type 3)
X <sup>1</sup> <sub>d</sub> - Generator Direct Axis Transient Reactance (saturated): (pu on machine MVA base)			
X <sup>11</sup> <sub>d</sub> - Generator Sub-transient Reactance (saturated): (pu on machine MVA base)			
X <sub>2</sub> - Generator Negative Phase Sequence Synchronous Reactance: (pu on machine MVA base)			
X <sub>o</sub> - Generator Zero Phase Sequence Reactance: (pu on machine MVA base)			
X <sup>1</sup> <sub>d</sub> - Generator Direct Axis Transient Reactance (unsaturated): (pu on machine MVA base)			
X <sup>11</sup> <sub>d</sub> - Generator Sub-transient Reactance (unsaturated): (pu on machine MVA base)			
Generator Direct Axis Positive Phase Sequence Synchronous Reactance: (pu on machine MVA base)			
Generator Quadrature Axis Positive Phase Sequence Synchronous Reactance: (pu on machine MVA base)			

## 13. GENERATOR DATA FOR DYNAMIC SOLUTION

QUESTIONS APPLY TO SYNCHRONOUS GENERATOR APPLICANTS ONLY	Unit 1 (or Type 1)	Unit 2 (or Type 2)	Unit 3 (or Type 3)
Generator Quadrature Axis Transient Reactance (unsaturated): (pu on machine MVA base)			
Generator Sub-transient Reactance (unsaturated): (pu on machine MVA base)			
Armature Leakage Reactance			
Generator Direct Axis Transient open circuit Time Constant: (pu on machine MVA base)			
Generator Direct Axis Subtransient open circuit Time Constant: (pu on machine MVA base)			
Generator Quadrature Axis Transient open circuit Time Constant: (pu on machine MVA base)			
Generator Quadrature Axis Subtransient open-circuit Time Constant: (pu on machine MVA base)			
Inertia of complete turbogenerator (MWsecs/MVA) (pu on machine MVA base)			

## PART 3 - ALL NON-SYNCHRONOUS GENERATORS ONLY

14. MAINS EXCITED NON-SYNCHRONOUS GENERATORS ONLY:
State how the generator is run up to synchronous speed (prime mover, separate motor, generator operated as a motor).
Magnitude and duration of inrush/starting current: Amps at kV for ms
Starting/ paralleling frequency (i.e. times per hour):
Power Factor on starting:
Reactive power demand at zero output ('no load') : kVAr and maximum output : kVAr
Details of reactive power compensation to be installed & the charging current available from cable circuits within the Embedded Generation Facility:

15. GENERATOR DATA FOR FAULT STUDIES (Short Circuit)												
Please provide the below specified currents or submit a short circuit current decrement curve (current vs time) representing your generators:	Unit 1 (or Type 1)	Unit 2 (or Type 2)	Unit 3 (or Type 3)									
I <sup>*</sup> <sub>k</sub> - Initial symmetrical short circuit current												
I <sub>p</sub> - Peak short circuit current												
I <sub>k</sub> - Steady state short circuit current												

## PART 4 - NON-SYNCHRONOUS GENERATORS WITH AN MEC LESS THAN OR EQUAL TO 5MW

#### **16. NON-SYNCHRONOUS GENERATORS:**

#### State the Generator type:

(fixed speed stall regulated; fixed speed pitch regulated; fixed speed pitch regulated with variable rotor resistance; variable speed with doublyfed induction generator; variable speed with synchronous generator and fully-rated converter or other specified type)

Unit 1 (or Type 1) Unit 2 (or Type 2) Unit 3 (or Type 3)

Please attach the approved power curve

Please note: we will not be able to process your application without this

#### **17. DYNAMIC SIMULATION DATA:**

In the connection offer process the dynamic impact of the generator on the transmission and distribution systems is examined. To be able to carry out dynamic simulation the applicant needs to submit the electrical data in questions below. If the requirements in questions below are being met by the provision of a dynamic model, then the applicant does not need to answer questions below. All necessary parameters and data must accompany the model. The dynamic model should be available from the manufacturer and should be suitable for software program PSS/E and specific to the type of generator unit to be installed. Further, if the appropriate model has already been provided to EirGrid by the manufacturer then the same model does not need to be provided again as long as the applicant explicitly advises the following for the model in question:

The version number of the model

The sender (i	.e. name	e & co	mpar	ıy)	of th	ne m	loc	lel:																															
The (EirGrid)	recipie	nt of t	ne mo	de																																			
Specify by w	nat met	hod th	ie mo	del	was	s se	nt	(e.	g. (	em	iail,	С	D	etc	:):																								
The date the	model v	vas se	ent to	Eir	Gric	ł																																	
	The r	emain	ing qu	les	tion	s in	ра	ırt 4	4 a	re	on	ly t	to l	be	fill	ed	in	if t	he	ар	pli	са	nt	is ı	not	t s	ub	mit	tin	g a	۱d	yna	am	ic	mc	ode	el		

#### 17. DYNAMIC SIMULATION DATA: Cont'd

	Туре 1	Туре 2	Туре 3
Generator			
Base voltage (kV)			
Base MVA			
Maximum power (MW)			
Minimum power (MW)			
Stator Resistance (pu)*			
Stator Inductance (pu)*			
Magnetising Reactance (pu)*			
Frequency Protection Scheme (if it exists)			
Rotor Resistance (pu)*			
Rotor Inductance (pu)*			
Inertia constant H of the entire drivetrain [MW.s/MVA]			
Voltage protection scheme (if it exists)			
Under voltage limit (pu)			
Under voltage pick up time (seconds)			
Under voltage breaker time (seconds)			
Over voltage limit (pu)			
Over voltage pick up time (seconds)			
Over voltage breaker time (seconds)			
Under frequency limit (pu)			
Under frequency pick up time (seconds)			
Under frequency breaker time (seconds)			
Over frequency limit (pu)			
Over frequency pick up time (seconds)			
Over frequency breaker time (seconds)			

## PART 5 - NON-SYNCHRONOUS GENERATORS WITH AN MEC GREATER THAN 5MW

## **18. NON-SYNCHRONOUS GENERATORS**

State the generator type: (fixed speed stall regulated; fixed speed pitch regulated; fixed speed pitch regulated with variable rotor resistance; variable speed with doubly-fed induction generator; variable speed with synchronous generator and fully-rated converter or other specified type)

Unit 2 (or Type 2)	
Unit 3 (or Type 3)	

Please attach the approved power curve

Please note: we will not be able to process your application without this

#### 19. INTERNAL NON-SYNCHRONOUS GENERATOR NETWORK STRUCTURE AND CORRESPONDING DATA:

Please describe how the non-synchronous generators internal network structure (collector network) will be laid out. The description should include a breakdown of how the individual generator units are connected together as well as how they are connected back to the generator substation. Please specify different cable sizes and individual lengths of cable.

Ν	Name of internal network structure attachment																															

19. INTERNAL NON-SYNCHRONOUS GENERATOR NETWORK STRUCTURE AND CORRESPONDING DATA: Cont'd

	Тур	e 1	Тур	e 2	Тур	e 3
Generator						
Conductor cross section area per core (mm2)						
Conductor type (Al, Cu, etc)						
Type of insulation						
Charging capacitance (µF/km)						
Charging current (Ampere/km)						
Positive sequence resistance (R <sub>1</sub> Ohm/km)						
Positive sequence reactance (X <sub>1</sub> Ohm/km)						
Zero sequence resistance ( $R_0$ Ohm/km)						
Zero sequence reactance ( $X_0$ Ohm/km)						
Please state the power factor ranges of the generators at	10	)%	50	%	10	0%
the specified active power percentages and then specify the equivalent MVAr capability	Ind	Сар	Ind	Cap	Ind	Cap
Power Factor of Generators						
Equivalent MVAr						
Places provide reactive power conchility surve for the generate			IV aida af th	a awid a awa	a stard turn of a	

Please provide reactive power capability curve for the generator site as measured at the LV side of the grid connected transformer. The capability curve should specify MVAr vs MW for the entire range of MW output. The curve should be consistent with the answers given in the following questions. Please note that the generator site must comply with the Distribution Code.

Number of inductive devices					
Indicate for each device the inducate for each device the inducapability switched in each stag		evice has more the	an one stage please	e indicate the number of sta	ges and the MVAr
MVAr in Step	s	MVAr in	Steps	MVAr in	_ Steps
Number of capacitive devices		e device has more	e than one stage ple	ease indicate the number of	stages and the
MVAr in Steps	·	_MVAr in	_ Steps	MVAr in	_ Steps
Please indicate the inductive M	/Ar contribution of th	e internal non-syr	nchronous generato	r structure (i.e. 20kV cable)	
Provide details of start-up regim	e. (Number of simult	aneous starts, us	e of control system	etc.) TECHNICAL DETAILS REC	UIRED

#### **20. DYNAMIC SIMULATION DATA:**

In the connection offer process the dynamic impact of the generator on the transmission and distribution systems is examined. To be able to carry out dynamic simulation the applicant needs to submit a dynamic model of their generator. This dynamic model should be available from the manufacturer.

Please submit a dynamic model and all data and parameter values required for the dynamic model. The dynamic model should be suitable for software program PSS/E and specific to the type of generator unit to be installed. This should be submitted in electronic version.

Please note: we will not be able to process your application without this. However, if the appropriate model has already been provided to EirGrid by the manufacturer then the same model <u>does not</u> need to be provided again as long as the applicant explicitly advises the following for the model in question:

The version number of the model	
The sender (i.e. name & company) of the model:	
The (EirGrid) recipient of the model	
Specify by what method the model was sent (e.g. email, CD etc):	
The date the model was sent to EirGrid	

Please submit a written statement, preferably from your manufacturer, detailing confirmation of commitment to "meaningful engagement" to progress the level of modelling to an appropriate validated model. "Meaningful engagement" shall be interpreted as:

**a.** commitment on the part of the applicant to deal with and respond to issues raised by EirGrid with regard to the generator and generator modelling in a timely manner and

**b.** the applicant providing details of a specific contact(s) to deal with issues and queries relating to the performance and modelling of the generator, the overall performance and modelling of the generator and the operation of the PSS/E dynamic model.

#### Please note: we will not be able to process your application without this.

#### PART 6 - DS3 APPLICANTS ONLY

Please indicate which services can be provided         FFR       POR         Fast Frequency Response         What level of FFR can be provided?       (MW)         For how many hours per year can the service be provided?       Hrs         Service at low MW outputs       Hrs         Can the service be provided at 0MW output levels?       Yes       No         Can the service be provided while operating below 20% of MEC?       Yes       No         Primary Operating Reserve       (MW)       Hrs         Service at low MW outputs       (MW)       Hrs         Can the service be provided?       Yes       No         Can the service be provided?       Hrs       Hrs         Service at low DR can be provided?       (MW)       Hrs         Service at low MW outputs       Hrs       Hrs         Can the service be provided?       Hrs       Hrs         Service at low MW outputs       Hrs       Service at low MW outputs         Can the service be provided at 0MW output levels?       Yes       No         Can the service be provided at 0MW output levels?       Yes       No         Can the service be provided at 0MW output levels?       Yes       No         Can the service be provided while operating below 20% of MEC?       Yes       No	21. DS3 TEC	CHNICAL DETAILS REQUIRED <sup>1</sup> :				
Fast Frequency Response       (MW)         What level of FFR can be provided?       (MW)         For how many hours per year can the service be provided?       Hrs         Service at low MW outputs       Hrs         Can the service be provided at 0MW output levels?       Yes         No       Can the service be provided while operating below 20% of MEC?       Yes         What level of POR can be provided?       (MW)         For how many hours per year can the service be provided?       (MW)         For how many hours per year can the service be provided?       Hrs         Service at low MW outputs       Hrs         Can the service be provided?       MW)         For how many hours per year can the service be provided?       Hrs         Service at low MW outputs       Hrs         Can the service be provided at 0MW output levels?       Yes         No       Yes	Please indica	te which services can be provided				
What level of FFR can be provided?	FFR	POR				
For how many hours per year can the service be provided?	Fast Freque	ency Response				
Service at low MW outputs         Can the service be provided at 0MW output levels?       Yes       No         Can the service be provided while operating below 20% of MEC?       Yes       No         Primary Operating Reserve       Ves       No         What level of POR can be provided?       (MW)         For how many hours per year can the service be provided?       Hrs         Service at low MW outputs       Ves       No	What level of	FFR can be provided?			(MW)	
Can the service be provided at 0MW output levels?YesNoCan the service be provided while operating below 20% of MEC?YesNoPrimary Operating ReserveYesNoWhat level of POR can be provided?(MW)For how many hours per year can the service be provided?HrsService at low MW outputsYesNo	For how man	y hours per year can the service be provided?			Hrs	
Can the service be provided while operating below 20% of MEC? Yes No Primary Operating Reserve What level of POR can be provided?(MW) For how many hours per year can the service be provided?Hrs Service at low MW outputs Can the service be provided at 0MW output levels? Yes No	Service at lo	ow MW outputs				
Primary Operating Reserve         What level of POR can be provided?       (MW)         For how many hours per year can the service be provided?       Hrs         Service at low MW outputs       Can the service be provided at 0MW output levels?       Yes       No	Can the servi	ce be provided at 0MW output levels?	Yes	No		
What level of POR can be provided?       (MW)         For how many hours per year can the service be provided?       Hrs         Service at low MW outputs       Can the service be provided at 0MW output levels?       Yes       No	Can the servi	ce be provided while operating below 20% of MEC?	Yes	No		
For how many hours per year can the service be provided?       Hrs         Service at low MW outputs       Kervice be provided at 0MW output levels?         Yes       No	Primary Ope	erating Reserve				
Service at low MW outputs         Can the service be provided at 0MW output levels?       Yes       No	What level of	POR can be provided?			(MW)	
Can the service be provided at 0MW output levels? Yes No	For how man	y hours per year can the service be provided?			Hrs	
	Service at lo	ow MW outputs				
Can the service be provided while operating below 20% of MEC? Yes No	Can the servi	ce be provided at 0MW output levels?	Yes	No		
	Can the servi	ce be provided while operating below 20% of MEC?	Yes	No		

'If an applicant makes a false, misleading or inaccurate declaration in respect of DS3 eligibility requirements, this will be deemed to be an "event of default" under any resulting connection agreement.

## PART 7 - ALL APPLICANTS

22. PLANNING PERMISSION CONFIRMATION <sup>1</sup> : (This section applies to all applicants)	
I, (Name in Block Capitals):	
Position:	
on Behalf of (Company Name in Block Capitals as specified in Applicant Details of this application form)	
confirm that Planning Permission for the generator units as specified in this application form is in place as follows:	
Planning Reference No:	
Planning Permission Grant Date:// Planning Permission Expiry Date://	
Extension applied for? Yes No	
If the generator unit(s) as specified in this application are exempt from Planning Permission, please provide below reason for exemption	n
and if Section 5 is applicable:	
Applicant Signature: Date: Date:	
Confirmation of above Diaming Developing datails by California (Diaming Consultant	
Confirmation of above Planning Permission details by Solicitor / Planning Consultant I, (Name in Block Capitals):	
Profession:	_
on Behalf of (Company Name in Block Capitals as specified in Applicant Details of this application form)	
warrant that I have conducted all necessary checks and am satisfied that the aforementioned planning permission is in place.	
	T
Signed: Date:	
Solicitors / Planning Consultant Address	
Solicitor / Planning Consultant Stamp (where possible):	
<sup>1</sup> Planning permission is the responsibility of the applicant. ESB Networks DAC accepts no responsibility for checking details of planning permission. If an applicant makes a false, misleading or inaccurate declaration in respect of planning permission requirements, this will be deemed to be an "event of default" under the connection agreement.	
<ul> <li><sup>2</sup>As per the Law Society of Ireland (www.lawsociety.ie)</li> <li><sup>3</sup>As per the Irish Planning Institute (www.ipi.ie) or Royal Town Planning Institute (www.rtpiconsultants.co.uk)</li> </ul>	

23. LANDOWNER CONSENT CONFIRMATION <sup>1</sup> :
I, (Name in Block Capitals):
Position:
on Behalf of (Company Name in Block Capitals as specified in Applicant Details of this application form)
confirm that all necessary landowner consents are in place for the substation at the coordinates as specified in Site Details of this application form and the generation site.
Applicant Signature: Date: Dat
and witnessed by Solicitor (Name in Block Capitals)
Signed: Date: Date:
Solicitor Number:
Solicitors Address
Please note the application will be returned to the applicant if submitted without a solicitors stamp and / or solicitor number.
Solicitors stamp:

<sup>1</sup>Landowner consent is the responsibility of the applicant. ESB Networks DAC accepts no responsibility for checking details of landowner consent. If an applicant made a false, misleading or inaccurate declaration in respect of landowner consent, this will be deemed to be an "event of default" under the connection agreement.

## 24. SIGNATURE OF APPLICANTS:

I/We accept ESB Networks DAC General Conditions relating to the connection and all amendments, which ESB Networks DAC may make from time to time. I/We agree to grant ESB Networks DAC all necessary access to bring the network to the premises. I/We acknowledge that ESB Networks DAC shall be entitled to connect other customers to the network.

Signature of Applicant:	<b>Date:</b> Agent.	
Full Name in Block Capitals:		
Title:		
[ESB Networks DAC may require the signatory to produce evidence of authority to bind the applicant by his/her s	signature].	
Signature of Witness:	Date:	
Full Name in Block Capitals:		
Address of Witness:		

#### **DATA PROTECTION**

ESB Networks DAC may use your personal data to the extent necessary (a) to set up and manage your connection agreement (b) for compliance with its licence and other legal obligations; and/or (c) for its legitimate interests (provided those interests do not confict with your fundamental rights and freedoms) Personal data provided by you in this application form may be disclosed to other parties in the following circumstances:

- In performing its functions, ESB Networks DAC may utilise the services of contractors or other suppliers. ESB Networks DAC may disclose your data to these parties to the extent necessary to perform their functions and provided they are only permitted to use your data as instructed by ESB Networks DAC. They are also required to keep your data safe and secure.
- ESB Networks DAC may make available the existence, location and/or technical aspects of your connection to licensed electricity supply companies and other parties involved in your electricity supply. In the case of new connections, ESB Networks DAC will make available your telephone contact number to licensed electricity supply companies in order to facilitate energisation of the connection.
- ESB Networks DAC may be required by law, or our license obligations, to provide data that ESB Networks DAC holds about you, your electricity supply or connection, to government agencies or departments, the Commission for Regulation of Utilities or other third parties.
- Contact details may also be provided to a professional third party market research company for the purposes of researching your satisfaction with the services provided by ESB Networks DAC. This information may also be used to enhance our services as the Distribution System Operator.

#### NOTE 2

#### Safety Message

- If there are any overhead electricity lines on the site these may need to be diverted or put underground before any construction works commence. Requests for line alterations should be made to ESB Networks DAC at an early stage - see www.esbnetworks.ie for advice on how to initiate such requests.
- Refer to the HSA Approved "ESB Networks Code of Practice for Avoiding Danger from Overhead Electricity Lines" for safety guidance in relation work in the vicinity of overhead lines available on the HSA and ESB Networks DAC websites or order free printed copies from ESB Networks DAC. Tel. 1800 372 757 or 021 2386555.
- Refer to "HSA Code of Practice for Avoiding Danger from Buried Services" for safety guidance in relation to underground electricity cables available on the HSA website.
- ESB lines/cables map records are available from Central Network Mapping Telephone: 1800 928 960, or by email: dig@esb.ie.

# PLEASE REMEMBER! DON'T BUILD UNDER OR NEAR ELECTRICITY WIRES STAY SAFE STAY CLEAR OF ELECTRICITY WIRES



ESB NETWORKS DAC

Note: ESB Networks DAC reserves the right to request additional data if necessary and the applicant agrees to provide such information promptly. The connecting party will be required at the relevant time to comply with Connection Agreement and the Distribution Code and provide information in accordance with these documents. ESB Networks DAC regrets it cannot accept responsibility for delays or mistakes if this application is completed incorrectly. If this application is incomplete the form will be returned to you.

#### ESB Networks DAC